

Automating Scoliosis Analysis

Amar Sahai

TJHSST Computer Systems Lab

Abstract

Scoliosis, or lateral curvature of the spine, is a health defect that starts showing signs often in early adolescence. Early and accurate diagnosis of this condition is most helpful in preventing its growth, and thus preventing the need for spinal surgery. One of the current processes to treat the curve is to manually measure the angles of the patient's curve(s) and then determine pressure points. My program will take an x-ray image file and automatically measure the angles and pressure points, and return this image to the user (presumably a doctor).

Procedures

My program inputs x-ray images and outputs modified versions of them. A user would be able to generate these images quickly and use them to check the results of the x-ray. Since doctors would probably be using this program, they would get the initial input x-ray images from their lab.

The main approach to the problem that I have used thus far is edge detection. There are multiple algorithms used for edge detection that differ in sensitivity and output appearance. The two main algorithms that I have used are horizontal differencing and Robert's Cross. Horizontal differencing judges from pixel to pixel, comparing the change in brightness. If there is a sharp jump it counts as an edge.

Background

People have tried different approaches to problems similar to the one I am working on. For example, one group of researchers used moir images of patients' backs to detect if they had scoliosis. The program, in the end, had an 88.2 percent rate of accuracy. This tells me that using moir images could be one approach to my problem as well. If I can find out how the authors detected scoliosis through the images, I could perhaps convert the x-ray to one and make more observations from the same findings.

The primary approach I have used to solve my problem so far is edge detection. I have mostly been using two specific edge detection algorithms: horizontal differencing and Robert's cross. In horizontal differencing, edge are determined by contrast from horizontally adjacent pixels.

